

## Custom group centres



# CUSTOM GROUP CENTRES



Group electric centres are suitable for use from the smallest apartments to large detached houses. The RKM and RKS electric centres are made from hot galvanised steel plate that has been painted white. The RKP electric centres are made of white plastic. The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in wet spaces. Browse our extensive and diverse selection!

# CUSTOM GROUP CENTRES

SSTL number	Name	Product description	In	Installation
R10018	RKP12P, Group electric centres			
R10019	RKP24, Group electric centres			
R10021	RKP36P, Group electric centres			
R10023	RKP48P, Group electric centres			
R10036	RKM420P/42, Group electric centres			
R10038	RKM420U/42, Group electric centres			
R10040	RKM560P/63, Group electric centres			
R10042	RKM560U/63, Group electric centres			
R10046	RKM840P/105, Group electric centres			
R10048	RKM840U/105, Group electric centres			
R10050	RKM1120P/147, Group electric centres			
R10051	RKM1120U/147, Group electric centres			
R10057	RKS500U/40, Group electric centres			
R10061	RKS580U/42, Group electric centres			
R10063	RKS750U/68, Group electric centres			
R10153	RKV12, Group electric centres			
R10154	RKV24, Group electric centres			
R10155	RKV36, Group electric centres			
R10156	RKV48, Ryhmäkeskus pinta	Asiakaskohtainen malli		

# CUSTOM GROUP CENTRES

SSTL number	Name	Product description	In	Installation
R10232	RKS750P/68, Group electric centres			
R10238	RKS580P/42, Group electric centres			
R10270	RKV12, Group electric centres			
R10271	RKV12, Group electric centres			
R10281	RKS500P/40, Group electric centres			
R10292	RKS500P/40, Group electric centres			



## Product info

The RKP group electric centres are suitable for surface-mounting in small residences and apartments. The centres are made of white plastic. We also have data cabinets available in the same RKP series for separate installation. The centre can be installed both vertically and horizontally.

## Technical details

Ue (V)	230/400	Icw	<5kA
In (A)	-	Material	
IP	20	Installation	Surface
fn		Väri	RAL9010





### Product info

The RKP group electric centres are suitable for surface-mounting in small residences and apartments. The centres are made of white plastic. We also have data cabinets available in the same RKP series for separate installation. The centre can be installed both vertically and horizontally.

### Technical details

Ue (V)	230/400	Icw	<5kA
In (A)	-	Material	
IP	20	Installation	Surface
fn		Väri	RAL9010





## Product info

The RKP group electric centres are suitable for surface-mounting in small residences and apartments. The centres are made of white plastic. We also have data cabinets available in the same RKP series for separate installation. The centre can be installed both vertically and horizontally.

## Technical details

Ue (V)	230/400	Icw	<5kA
In (A)	-	Material	
IP	20	Installation	Surface
fn		Väri	RAL9010






### Product info

The RKP group electric centres are suitable for surface-mounting in small residences and apartments. The centres are made of white plastic. We also have data cabinets available in the same RKP series for separate installation. The centre can be installed both vertically and horizontally.

### Technical details

Ue (V)	230/400	Icw	<5kA
In (A)	-	Material	
IP	20	Installation	Surface
fn		Väri	RAL9010






## Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

## Technical details

Ue (V)	230/400	Icw	<5kA
In (A)	-	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9010





## Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

## Technical details

Ue (V)	230/400	Main switch (A)	-
In (A)	-	Breaker 1-pole C6	-
IP	20	Breaker 1-pole B10	-
fn			481 x 397
Icw	<5kA	Installation	
Material	Ku-Si	Väri	RAL9010






## Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5kA		





## Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20		480 x 537
fn		Installation	
Icw	<5 kA	Väri	RAL9010





## Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		





## Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20		481 x 817
fn		Installation	
Icw	<5 kA	Väri	RAL9010





## Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		






## Product info

The RKM group electric centres are suitable for use from the smallest apartments to large detached houses. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKM series for separate installation.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20		481 x 1096
fn		Installation	
Icw	<5 kA	Väri	RAL9010





## Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20		237 x 464
fn		Installation	
Icw	<5 kA	Väri	RAL9010





## Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20		352 x 548
fn		Installation	
Icw	<5 kA	Väri	RAL9010





## Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20		237 x 714
fn		Installation	
Icw	<5 kA	Väri	RAL9010





## Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

## Technical details

Ue (V)	230/400	Material	
IP	54	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		





## Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

## Technical details

Ue (V)	230/400	Material	
IP	54	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		





## Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

## Technical details

Ue (V)	230/400	Material	
IP	54	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		





## Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

## Technical details

Ue (V)	230/400	Material	
IP	54	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		





## Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		





## Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		



## Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

## Technical details

Ue (V)	230/400	Material	
IP	54	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		



## Product info

The RKV group electric centres are appropriate for use as a lighting, heating or group electric centre in bathrooms. The plastic cabinets, which are classified according to IP54, are equipped with several feed-through holes that can be opened. The delivery includes a set of seals. If necessary, the cabinets can be combined with each other with an optional combination kit.

## Technical details

Ue (V)	230/400	Material	
IP	54	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		





## Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9016
Icw	<5 kA		



## Product info

Electrical centres in the RKS series are best suited for small residences and apartments. The models have been specifically designed for smaller renovation sites where space is at a minimum. The electric centres are made from hot galvanised steel plate that has been painted white. We also have data cabinets available in the same RKS series for separate installation. Available for both surface and flush mounting. In the surface-mounted model, the rear section of the cabinet is open for cabling through the bottom.

## Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9016
Icw	<5 kA		

