

Custom data centres



CUSTOM DATA CENTRES



The ITK data group centres are suited to renovation and new construction. The open back enables easy connectivity for cables fed through the bottom. The centre can be installed both vertically and horizontally. For horizontal installation, we recommend an optional door holder kit.

In the ITV data group centres, the IT and electricity distribution spaces are located side-by-side. This model allows cables for both spaces to be fed to their own space from both above and below the centre.

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom.


The IT space can be equipped with a wide variety of fittings, which enables several different uses. All data centres are available for both surface and flush mounting.

CUSTOM DATA CENTRES

SSTL number	Name	Product description	In	Installation
R10001	ITK840U/36, Data group centres	IT 0,12m2		
R10003	ITK1120U/48/0,12, Ryhmäkeskus-data uppo FE	Asiakaskohtainen malli		
R10158	RKS750U/22/0,12, Ryhmäkeskus-data uppo FE	Asiakaskohtainen malli		
R10159	RKS750P/22/0,12, Ryhmäkeskus-data pinta FE	Asiakaskohtainen malli		
R10160	ITP840P/40, Data group centres	IT 0,24m2		
R10161	ITP840U/40, Data group centres	IT 0,24m2		
R10164	ITP1120P/80, Data group centres	IT 0,24m2		
R10165	ITP1120U/80, Data group centres	IT 0,24m2		
R10166	ITK1120U/36, Data group centres	IT 0,24m2		
R10167	ITK1120P/36, Data group centres	IT 0,24m2		
R10228	ITP840U/42/0,24, Ryhmäkeskus-data uppo FE	70mm matalaan seinärakenteeseen		
R10230	ITP1120U/84/0,24, Ryhmäkeskus-data uppo FE	70mm matalaan seinärakenteeseen		
R10236	ITK840P/36/0,12, Ryhmäkeskus-data pinta FE	Asiakaskohtainen malli		
R10237	ITK1120P/48/0,12, Ryhmäkeskus-data pinta FE	Asiakaskohtainen malli		
R10243	ITK1120U/36/0,24/90mm, Ryhmäkeskus-data uppo FE	Asiakaskohtainen malli		
R10267	ITP980U/60, Data group centres	IT 0,24m2		
R10268	ITP980U/60, Data group centres	IT 0,24m2		
R10283	RKS1000P/40 + IT, Ryhmäkeskus-data pinta FE	Asiakaskohtainen malli		
R10291	ITP980U/60, Data group centres	IT 0,24m2		

CUSTOM DATA CENTRES

SSTL number	Name	Product description	In	Installation
R10320	ITP980U/60, Data group centres	IT 0,24m2		



Product info

The ITK data group centres are suited to renovation and new construction. The open back enables easy connectivity for cables fed through the bottom. The centre can be installed both vertically and horizontally. For horizontal installation, we recommend an optional door holder kit (only for a right-hand door). The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting.

Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	RJ -connector	
fn		Installation	
Icw	<5kA	Väri	RAL9010






Technical details

Ue (V)	230-400	350 x 1090	
IP	20	RJ -connector	
fn		Installation	
Icw	<5kW	Väri	RAL9010
Material	Ku-Si		






Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20		237 x 714
fn		Installation	
Icw	<5 kA	Väri	RAL9010






Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		






Product info

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom. The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting. The surface-mounted model contains the necessary feed-through flanges and a fixed back plate. When flush-mounted, the centre only rises 4mm above the wall surface!

Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	RJ -connector	
fn		Installation	Surface
Icw	<5 kA	Väri	RAL9010






Product info

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom. The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting. The surface-mounted model contains the necessary feed-through flanges and a fixed back plate. When flush-mounted, the centre only rises 4mm above the wall surface!

Technical details

Ue (V)	230/400	481 x 817
IP	20	RJ -connector
fn		Installation
Icw	<5 kA	Väri
Material	Ku-Si	RAL9010






Product info

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom. The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting. The surface-mounted model contains the necessary feed-through flanges and a fixed back plate. When flush-mounted, the centre only rises 4mm above the wall surface!

Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	RJ -connector	
fn		Installation	Surface
Icw	<5 kA	Väri	RAL9010






Product info

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom. The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting. The surface-mounted model contains the necessary feed-through flanges and a fixed back plate. When flush-mounted, the centre only rises 4mm above the wall surface!

Technical details

Ue (V)	230/400	481 x 1096
IP	20	RJ -connector
fn		Installation
Icw	<5 kA	Väri
Material	Ku-Si	RAL9010





Product info

The ITK data group centres are suited to renovation and new construction. The open back enables easy connectivity for cables fed through the bottom. The centre can be installed both vertically and horizontally. For horizontal installation, we recommend an optional door holder kit (only for a right-hand door). The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting.

Technical details

Ue (V)	230/400	350 x 1090
IP	20	RJ -connector
fn		Installation
Icw	<5 kA	Väri
Material	Ku-Si	RAL9010






Product info

The ITK data group centres are suited to renovation and new construction. The open back enables easy connectivity for cables fed through the bottom. The centre can be installed both vertically and horizontally. For horizontal installation, we recommend an optional door holder kit (only for a right-hand door). The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting.

Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	RJ -connector	
fn		Installation	Surface
Icw	<5 kA	Väri	RAL9010







Technical details

Ue (V)	230/400	481 x 817
IP	20	RJ -connector
fn		Installation
Icw	<5 kA	Väri
Material	Ku-Si	RAL9010






Technical details

Ue (V)	230/400	481 x 1096	
IP	20	RJ -connector	
fn		Installation	
Icw	<5 kA	Väri	RAL9010
Material	Ku-Si		





Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	RJ -connector	
fn		Installation	Surface
Icw	<5 kA	Väri	RAL9010






Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	RJ -connector	
fn		Installation	Surface
Icw	<5 kA	Väri	RAL9010





Technical details

Ue (V)	230/400	350 x 1090	
IP	20	RJ -connector	
fn		Installation	
Icw	<5 kA	Väri	RAL9010
Material	Ku-Si		





Product info

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom. The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting. The surface-mounted model contains the necessary feed-through flanges and a fixed back plate. When flush-mounted, the centre only rises 4mm above the wall surface!

Technical details

Ue (V)	230/400	Breaker 1-pole C20	-
IP	20C	RJ -connector	
fn		Installation	Uppo/Pinta
Icw	<5kA	Väri	RAL9016
Material	Ku-Si		





Product info

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom. The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting. The surface-mounted model contains the necessary feed-through flanges and a fixed back plate. When flush-mounted, the centre only rises 4mm above the wall surface!

Technical details

Ue (V)	230/400	Breaker 1-pole C20	-
IP	20C	RJ -connector	
fn		Installation	Uppo tai pinta
Icw	<5kA	Väri	RAL9016
Material	Ku-Si		





Technical details

IP	20	RJ -connector	
fn		Installation	Surface
Icw	<5 kA	Väri	RAL9010
Material	Ku-Si		





Product info

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom. The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting. The surface-mounted model contains the necessary feed-through flanges and a fixed back plate. When flush-mounted, the centre only rises 4mm above the wall surface!

Technical details

Ue (V)	230/400	Breaker 1-pole C20	-
IP	20C	RJ -connector	
fn		Installation	Uppo/Pinta
Icw	<5kA	Väri	RAL9016
Material	Ku-Si		



Product info

In the ITP data group centres, the IT and electricity distribution spaces are located on top of each other. The side of the centre has a cable chute by the IT space for the wiring of the electricity distribution section. This makes it easy to connect a feed cable from the bottom. The IT space can be equipped with a wide variety of fittings, which enable several different uses. Available for both surface and flush mounting. The surface-mounted model contains the necessary feed-through flanges and a fixed back plate. When flush-mounted, the centre only rises 4mm above the wall surface!

Technical details

Ue (V)	230/400	Breaker 1-pole C20	-
IP	20C	RJ -connector	
fn		Installation	Uppo/Pinta
Icw	<5kA	Väri	RAL9016
Material	Ku-Si		

