

Custom data cabinets



CUSTOM DATA CABINETS



Data cabinets are suitable for use from the smallest apartments to large detached houses. The RKM and RKS data cabinets are made from hot galvanised steel plate that has been painted white. The RKP data cabinets are made of white plastic. The IT space can be equipped with a wide variety of fittings, which enables several different uses. All data cabinets are available for both surface and flush mounting.

CUSTOM DATA CABINETS


SSTL number	Name	Product description	In	Installation
R10022	RKP48P-IT, Data-asennuskotelo	Asiakaskohtainen malli		
R10037	RKM420P-IT, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10039	RKM420U-IT, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10041	RKM560P-IT/0,24, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10043	RKM560U-IT/0,24, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10045	RKS580U-IT/0,12, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10047	RKM840P-IT/0,24, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10049	RKM840U-IT/0,24, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10065	RKS750U-IT/0,12, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10234	RKS750P-IT/0,12, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10239	RKS580P-IT/0,12, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10282	RKS500P-IT /0,12, Data-asennuskotelo FE	Asiakaskohtainen malli		
R10312	ITP700-IT/0,24, Data-asennuskotelo FE	Asiakaskohtainen malli		



Technical details

Ue (V)	230/400	Material	
In (A)	-	RJ -connector	14x(17x18)+4 tai 14x(15x19)+4
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5kA		







Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-	RJ -connector	
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5kA		






Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-		481x397
IP	20	RJ -connector	
fn		Installation	
Icw	<5kA	Väri	RAL9010







Technical details

Ue (V)	230/400	Material	Ku-Si
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		






Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-		480 x 537
IP	20	RJ -connector	
fn		Installation	
Icw	<5 kA	Väri	RAL9010






Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-		352 x 548
IP	20	RJ -connector	
fn		Installation	
Icw	<5 kA	Väri	RAL9010






Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-	RJ -connector	
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		






Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-		481 x 817
IP	20	RJ -connector	
fn		Installation	
Icw	<5 kA	Väri	RAL9010





Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-		237 x 714
IP	20	RJ -connector	
fn		Installation	
Icw	<5 kA	Väri	RAL9010






Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-	RJ -connector	
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		





Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-	RJ -connector	
IP	20	Installation	Surface
fn		Väri	RAL9010
Icw	<5 kA		



Technical details

Ue (V)	230/400	Material	Ku-Si
In (A)	-	RJ -connector	
IP	20	Installation	Surface
fn		Väri	RAL9016





Technical details

Ue (V)	230/400	RJ -connector	
IP	20C	Installation	Pinta/Uppo
fn		Väri	RAL9010
Material	Ku-Si		

