

## Custom work place centres



# CUSTOM WORK PLACE CENTRES



THE MOST EXTENSIVE SELECTION OF WORK PLACE CENTRES ON THE MARKET!

## Features:

- Easy to install - the whole cabinet can be opened up in the connection phase as an interface space for the supply cable (S and M)
- Aluminium galvanised steel cabinet that withstands demanding environmental conditions (stainless steel and acid-proof steel by order)
- Cabinet colour is light grey RAL7035
- Sturdy hinges
- IP44 as standard (IP54 by order)
- Supply daisy chain terminals and necessary feed-throughs as standard
- A-type residual current devices
- C-curve miniature circuit breakers

The MEGA® work place centres have been designed to serve and withstand the most demanding industrial needs. This extensive range has a centre that will match your needs, both indoors and outdoors.

# CUSTOM WORK PLACE CENTRES

SSTL number	Name	Product description	In	Installation
R10078	TPK-S, Työpaikkakeskus FE	Asiakaskohtainen malli		
R10079	TPK-M, Työpaikkakeskus FE	Asiakaskohtainen malli		
R10080	TPK-L, Työpaikkakeskus FE	Asiakaskohtainen malli		
R10092	TPK-S, Työpaikkakeskus RST	Asiakaskohtainen malli		
R10094	TPK-L, Työpaikkakeskus RST	Asiakaskohtainen malli		
R10095	TPK-M, Työpaikkakeskus RST	Asiakaskohtainen malli		
R10096	TPK-M, Työpaikkakeskus HST	Asiakaskohtainen malli		
R10097	TPK-L, Työpaikkakeskus HST	Asiakaskohtainen malli		
R10098	TPK-S, Työpaikkakeskus HST	Asiakaskohtainen malli		



### Technical details

Ue (V)	230/400	Material	Ku-Si
IP	44	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		





### Technical details

Ue (V)	230/400	Material	Ku-Si
IP	44	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		





### Technical details

Ue (V)	230/400	Material	Ku-Si
IP	44	Installation	Surface
fn		Väri	RAL7035
Icw	<5 kA		






### Technical details

Ue (V)	230/400	Icw	<5 kA
IP	44	Material	
fn		Installation	Surface






### Technical details

Ue (V)	230/400	Icw	<5 kA
IP	44	Material	
fn		Installation	Surface








### Technical details

Ue (V)	230/400	Icw	<5 kA
IP	44	Material	
fn		Installation	Surface






### Technical details

Ue (V)	230/400	Icw	<5 kA
IP	44	Material	
fn		Installation	Surface





### Technical details

Ue (V)	230/400	Icw	<5 kA
IP	44	Material	
fn		Installation	Surface





### Technical details

Ue (V)	230/400	Icw	<5 kA
IP	44	Material	
fn		Installation	Surface

