

## Outdoor metering centres



# OUTDOOR METERING CENTRES



## Features:

- Measurement before the main switch (voltage is not disconnected from a remote-access meter)
- Feed and distribution space has covers that can be detached easily
- Large feed and distribution spaces
- Sturdy hinges
- Detachable feed flange
- Extensive range of optional equipment

The OMA outdoor metering centres are suitable for use as a main and metering centre in small properties and for electricity distribution during construction. The centres are made of hot galvanised steel plate that, together with the right design, guarantees a sturdy and safe structure and good usability. The delivery includes a sealing cover for the main fuse, a tariff control fuse, the necessary feed-through holes, Al/cu connectors for supply and a rain shelter.

The centres can be installed as needed, on the wall, in a column or on an optional stand. The centres are suitable for both surface and flush mounting (for flush mounting we recommend a flush frame).

## Alternatives for every need:

- Affordable basic model with only a main switch
- 25A and 50A models
- 25A and 50A models with a fixed stand
- 50A and 80A models for semi-detached houses

The same cabinet structure is also equipped with new reserve power centres!

# OUTDOOR METERING CENTRES

SSTL number	Name	Product description	In	Installation
3400900	Mittauskeskus FE UMK700-63A3J1V	In63, 1x4P VVSK, PSR, 1T, 500x796x214		
3400956	Mittauskeskus FE UMK700JAL-63A3J1VYJS	In63, 1x4P VVSK, PSR, 500x1600x214 (RAL7024)		
3400957	Mittauskeskus FE UMK1120JAL-PT-63A6J2VYJS	In63, 1x4P VVSK, PSR, YJS, 500x1600x214		
3400958	Jalusta 840/500, UMK, MKV	Lisävaruste, 500x840x210		
3400959	Mittauskeskus FE UMK1120-PT-80A6J2VYJS	In80, 1x4P VVSK, PSR, YJS, 500x1600x214		



## Product info

The OMA outdoor metering centres are suitable for use as a main and metering centre in small properties and for electricity distribution during construction. The centres are made of hot galvanised steel plate that, together with the right design, guarantees a sturdy and safe structure and good usability. The delivery includes a sealing cover for the main fuse, a tariff control fuse, the necessary feed-through holes, Al/cu connectors for supply and a rain shelter.

## Technical details

Electrical number	3400900	Main switch (A)	63A
	Al/Cu 2,5-50mm <sup>2</sup>	Breaker 1-pole C16	3
Ue (V)	230/400		63
In (A)	63		1
IP	34	Reserved (mod)	18
fn		Installation	Surface
Icw	<10kA	Väri	RAL7024
Material	Cu-Zn		





## Product info

The OMA outdoor metering centres are suitable for use as a main and metering centre in small properties and for electricity distribution during construction. The centres are made of hot galvanised steel plate that, together with the right design, guarantees a sturdy and safe structure and good usability. The delivery includes a sealing cover for the main fuse, a tariff control fuse, the necessary feed-through holes, Al/cu connectors for supply and a rain shelter.

## Technical details

Electrical number	3400956	Main switch (A)	63
	Al/Cu 2,5-50mm <sup>2</sup>	Breaker 1-pole C16	3
Ue (V)	230/400		63
In (A)	63		1
IP	34	Reserved (mod)	17
fn		Installation	Surface
Icw	<10kA	Väri	RAL7024
Material	Cu-Zn		





## Product info

The OMA outdoor metering centres are suitable for use as a main and metering centre in small properties and for electricity distribution during construction. The centres are made of hot galvanised steel plate that, together with the right design, guarantees a sturdy and safe structure and good usability. The delivery includes a sealing cover for the main fuse, a tariff control fuse, the necessary feed-through holes, Al/cu connectors for supply and a rain shelter.

## Technical details

Electrical number	3400957	Main switch (A)	63
	Al/Cu 2,5-50mm <sup>2</sup>	Breaker 1-pole C16	6
Ue (V)	230/400		63
In (A)	63		2
IP	34	Reserved (mod)	12
fn		Installation	Surface
Icw	<10	Väri	RAL7024
Material	Cu-Zn		



3400958

Jalusta 840/500, UMK, MKV

Jalusta 840/500, UMK, MKV  
Lisävaruste, 500x840x210

21.11.2024



## Product info

Ready to install stand. Rain cover is not included

## Technical details

Electrical number	3400958	Väri	RAL7024
Material	Ku-Si		



## Product info

The OMA outdoor metering centres are suitable for use as a main and metering centre in small properties and for electricity distribution during construction. The centres are made of hot galvanised steel plate that, together with the right design, guarantees a sturdy and safe structure and good usability. The delivery includes a sealing cover for the main fuse, a tariff control fuse, the necessary feed-through holes, Al/cu connectors for supply and a rain shelter.

## Technical details

Electrical number	3400959	Main switch (A)	125
	Al/Cu 2,5-50mm <sup>2</sup>	Breaker 1-pole C16	6
Ue (V)	230/400		63
In (A)	80		2
IP	34	Reserved (mod)	12
fn		Installation	Surface
Icw	<10	Väri	RAL7024
Material	Cu-Zn		

